ALLOY PIPES



Rahul Ferrometal Leading the Evolutions



MONEL • INCONEL • INCOLOY • HASTELLOY •

> Seamless Pipe & Tube Welded Pipe & Tube Capillary Tube Coil Tube Thick-walled Pipe





y Seamless Pipe & Tube	13
15 16 16 17 20 20	
	15 16 16 16 17 20

8 Nickel Alloy Welded Pipe & Tube 21

formation	2
acturing Process	
al Sheet	
e & Logistics	

Nickel Alloy Coil Tube

Basic In Manufa Technic Package FAQ

Basic In

Manufa

Drawin Technic Package FAQ

29

415

formation	
cturing Process	40
g & Formula	
al Sheet	
& Logistics	43
	43

37

echnical Sheet	
ackage & Logistics	
AQ	35

Nickel Alloy Capillary Tube

Basic Information

Manufacturing Process

Nickel Alloy Thick-walled Pipe

Basic Information	
Manufacturing Process	
Drawing & Formula	
Technical Sheet	
Package & Logistics	
FAO	

ABOUT US

Mission

Vision

At Rahul Ferrometal its mission is leading or this work.

As a raw material producer, we believe that each time new materials are successfully developed, time new materials are successfully developed, common carbon steels and stainless steels are difficult to deal with tasks and requirements faced by many high-tech industries and in extreme production environments. With global industrial uggrading, nickel alloys are emerging to replace previous materials for enhanced efficiency and

more lasting performance of completing tasks. We are professional manufacturer of nickel alloys and what we keep doing is to supply high quality nickel alloy products to the world. We have our responsibility and role to play in the popularity of the superior nickel alloys, and usher a new chapter into our world industry. Our vision is to see the world development unconstrained by the materials.

This is an age of rapid development. As technology advances at the lightning speed, it poses increasingly high material becomes a bottleneck on technology breakthrough, putting sand in the wheels of development, a hinderance that cannot be ignored. As arow material manufacturers, we should develop and progress on materials continuously so that we can introduce more advanced materials to the market. We firmly believe that material

breakthrough will set off a chain effect on world technology. Our value is to provide excellent products, information and service.

Values

Product is the core of everything. We hope that all of our customers will field a biolate ease using our products, while the product quality is the best bridge that builds our mutual trust. Hence, we've developed a very struct quality control system. Each product is subject to rounds of inspections by our professional inspectors. We believe that, only when we have 100% confidence in our products can our customers experience ease and satisfaction usine them.

As nickel alloys are not as popular in applications as other steels, people's knowledge on these advanced alloys are also relatively limited. We are nickel alloy specialist; we devote ourselves to disseminating the knowledge of these materials. We will deliver new articles on nickel alloys on Media regularly. Hope with our efforts more people will know these excellent materials.

If you have any demand on nickel alloys, please feel free to send us enquiries. Our team will solve your demand with a very professional attitude. Our goal is to start every cooperation with excellent service. As a professional manufacturer of nickel alloys in India, Rahul FerrometalCO., LIMITED provides a quite wide range of nickel alloy products to our worldwide customers.

The forms of our supply come into five categories: "pipes, Fittings, Bars, Sheets and Wires. Monel, Inconel, Incoloy, Hastelloy are our four major grades. We also have other special alloys like Nmonic, Nitronic, purenickel and etc. to cater for your custom demands. With 30 years' accumulated experience in alloy industry, we have developed mature and diverse quality control solutions to free you from purchasing worries. At Rahul Ferrometal you buy trustworthy nicel alloys:

ABOUT US

ABOUT US



WHY



US



Choosing raw material is the first step to quality control. This applies to all of our products. Our nickel alloy tube billets, ingots, and coils are all subjected to strict selection before putting into production.





目

Huge Inventory







3

\rightarrow		
Complete Process		Artful arance
Coml Pro		Artful Appearance
		Ap
We will not skip over		Our products boast
any production	- Allas	artful appearance.
process, even if it does not affect product look.	and the second s	This cannot be done without our
We helieve this is the		nearly fastidious
basic requirement on		attitudes on raw
product quality. If		material selection,
necessary, we will keep		emphasis on finish
honing our products so		treatment and
that they can		skillful adapting of
demonstrate		our equipment's
workmanship.		functionality by
		our experienced engineers.





Our products are subjected to strict quality inspection with original mill certificates issued by our officers or third party inspection with MTC issued by independent institutes. The final result is that we will deliver never unqualified products.





transportation safety.



5

WHY CHOOSE US

6

OUR STORY

Metal Experience

Rahul Ferrometalhas its predecessor specialize in tainless steel products. At 1989, our first company Clivmats was founded, Since then we have put into quality at an industrial higher level while experimenting on lowering the cost without any compromise on quality. With great efforts come our customers' recognition on our company and our ferrometalkeeps growing strong, aiming to bring values to our customers, staffs and stockholders.

Nickel Alloy

2009 is the 20th anniversary of our foundation. At this juncture, we decide to evolve from ourselves and create this new brand

We've realized that nickel alloys will be the future of this industry. We need to embrace this ever changing market with a completely new look. Hence, we've built a professional experienced talents, studying the past, the present and the future of nickel alloys. We've also dug deep into production processes to enhance efficiency and lower the cost In 2014, with five years' accumulation, Rahul Ferrometal manufacturer As an industrial specials, we've provided satisfactory products

Going Global

Our products finally go global after serving domestic markets for around 30 years.

In 2016, Rahul Ferrometalfounded its international business department. We've built international sales and technical teams, dedicated to making our quality materials accessible to more countries at a reasonably low price.

For now, our products have been manufactured and distributed to worldwide. We've built mutual trusts with customers from Asia, Europe, America, Africa, and Oceania. We regard your repeat orders as recognition on our product. Meanwhile, we will live up to your

trust and expectations, marching further to the international market. We grow with you.

SOLUTIONS

-- Nickel Alloy Applications



OUR STORY





Aerospace

INCONEL INCOLOY HASTELLOY

Aerospace is the industry where nickel alloys are most widely used. In aerospace engines, it is not an easy task to ensure that various components can work normally at different temperatures and in different environments. Nickel alloy is currently the most suitable material with excellent corrosion resistance and excellent mechanical properties at high temperatures. Rahul Ferrometalprovides solid solution strengthened superalloys for engine containers and high-strength precipitation strengthened superalloys for engine blades.

Automotive

MONEL INCONEL INCOLOY HASTELLOY

Similar to aerospace applications. With the development of the automobile industry, more and more automobile production uses nickel alloys to improve the performance of automobiles. Nowadays, superalloys are widely used in auto parts such as turbochargers, exhaust valves. ignition prechamber, exhaust gas cleaner fastener, nozzles & etc. Rahul Ferrometalproduces high- performance nickel alloys to meet these needs.

Chemical Processing

- MONEL INCONEL
- INCOLOY HASTELLOY

In the chemical industry, various chemical reactions need to be carried out in containers. Of course, different chemical reactions require different temperatures. The nickel alloy can not only resist the corrosion of various chemical substances. but also have good mechanical strength at both low and high temperatures. Therefore, it is the most commonly used material in the chemical industry, Rahul Ferrometalprovides a variety of highperformance nickel alloys to meet the needs of our customers in the chemical industry.



Electrical Resistance

INCONEL INCOLOY

Resistance furnace is a heating furnace generate heat by pass current through the resistance wire or resistance band / strip. Among them, electric heating elements are required to have high heat resistance, high temperature strength, very low temperature coefficient of resistance and good chemical stability. Therefore, the common heating elements are nickelchromium alloys or nickel-chromiumiron alloys (such as INCONEL and INCOLOY), Rabul Ferrometalspecializes in providing high-quality nickelchromium alloy products for resistance furnace components.

Electric & Telecom

MONEL INCONEL

With the development of technology. demand for electronic the components is increasing. In order to meet this demand. Rahul Ferrometalcan provide precision nickel alloy wires as welding wires for electronic components. For welding materials for electronic components, good brazing properties and low Curie temperature are very important indicators. Therefore, among the materials we produce. MONEL alloys 401 and 404 are perfect choices for soldering materials.



In the shipbuilding industry and other marine industries, the most important issue is how to deal with the corrosion of flowing seawater. Nickel alloy is a perfect solution, especially MONEL alloy can reduce the corrosion rate to almost negligible. At Rahul Ferrometal solid solution strengthened alloy as the material for the ship's hull. At the same time, precipitation strengthened alloys are used as practical materials for fasteners in seawater.





10



The oil is excavated from thousands of meters deen underground, where there is abnormally high temperature and pressure. In addition, the environment in some oil fields is very harsh, which can cause severe corrosion to metals. Rahul Ferrometalprovides high-performance nickel alloy raw materials with excellent high-temperature corrosion resistance and high-temperature stress resistance. After being processed into casing and mandrel for drilling, it can be fully qualified for the oil exploitation environment.



Petro Processing

INCONEL INCOLOY

HASTELLOY

The principle of crude oil refining is to distill crude oil according to the different boiling points of different components in the crude oil. Different substances (such as gasoline and diesel) can be distilled at different temperatures. The distillation temperature can reach up to 800 degrees Celsius, and the composition of crude oil is very complex. Therefore, the distillation vessel must be resistant to high temperatures and resistant to various forms of corrosion. The nickel alloy materials produced by Rahul Ferrometalare perfectly gualified for this job.



INCONEL INCOLOY HASTELLOY

The waste in the industrial production process is generally treated by incineration. The temperature during incineration is extremely high and some waste materials are extremely corrosive. The nickel alloys we manufacture have superior hightemperature corrosion resistance, and provide guaranteed solutions for waste treatment in petroleum refining, natural gas processing, pharmaceutical, medical and other industries.

F Power Generation

INCONEL INCOLOY HASTELLOY

The power industry includes hydropower. coal power, gas power, and nuclear power. In addition to hydropower, other power generation methods require the support of high-temperature materials. Among them, nuclear power is one of the most widely used power generation methods of superalloys. In addition to the extreme high temperature inside the nuclear reactor, there is also a very harsh radiological environment. This makes nickel alloys an irreplaceable role in the composition of nuclear reactors.

Thermal Processing

INCONEL INCOLOY HASTELLOY

Different metal heat treatment requires different heat treatment temperature and heat treatment time. This requires that the furnace material can withstand different degrees of high temperature for a long time without high temperature creep, Rahul Ferrometalprovides high-performance nickel alloy products and selects alloys with the best high-temperature creep strength to match this demand. Our materials have been verified by various practices and can perfectly cope with various heat treatment methods.



Welding **Products**

- MONEL INCONEL
- INCOLOY HASTELLOY

Rahul Ferrometalproduces nickel allov welding materials corresponding to nickel alloy products. Our filler metals and welding electrodes are produced in strict accordance with AWS A5.14 and AWS A5.11 standards. And according to the standard requirements, the chemical composition of the material is finetuned to ensure the performance of the weld. In addition, we also provide filler metals and welding electrodes of world- renowned brands (such as Special Metals, Haynes, VDM, etc.) for you to choose from.

SOLUTIONS 3





Nickel Alloy Seamless Pipe & Tube

Overview

Specifications

 Outer Diameter: Φ3 - Φ600mnm As a leading Chinese nickel alloy pipe Wall Thickness: 0.5 - 30mm supplier.Rahul Ferrometalmanufactures and produces different sizes of nickel allov seamless pipes & tubes. Nickel

 Length ≤ 12000mm · Customized size please confirm with us

alloy seamless pipe & tube is a kind of pipe or tube without weld seam. So its Standards leakproofness and high pressure

resistance is more better than that of ASTM B161, ASTM B163, ASTM B165, nickel alloy welding pipe & tube. Nickel ASTM B167, ASTM B407, ASTM B423, alloy has excellent corrosion resistance ASTM B444, ASTM B535, ASTM B622, and high temperature resistance. So if ASTM B677, ASTM B690, ASTM B729, your project demand to work in the ASTM B829, ASTM B983

special or extreme environment, our nickel alloy seamless pipe & tube is Features Rahul best choice Ferrometal supplies different nickel alloy grades: Monel(400, 401, K-500, etc), Inconel(600_601_625_718_etc) Incolov(800, 825, A-286, etc) and Hastelloy(B-2, C-22, C-276, etc). The outer diameter of our nickel allov seamless pipe & tube ranges from 3mm to 600mm. Customized size is also available.


Our products have higher quality and lower price. Our sales are more professional and responsible. Please don't hesitate to contact us!

Excellent high temperature resistance. corrosion resistance and high strength performance. It is suitable for strong acid and alkali and high temperature environment under harsh conditions.

Applications

Petroleum, chemical industry, high pressure boiler, nuclear power, aviation, marine engineering, environmental protection engineering.

Manufacturing Process



Drawing & Formula

T Ch





Size Range

Nom Pipe	inal	Outside Diameter							Nomina	l Wall Thi	ickness						
NPS	DN	OD	SCH5/ 5S	SCH10S	SCH10	SCH20	SCH30	SCEINDS/	CH40 SCH	50 SCH80	s/xs	SCH80	SCH100	SCH120	SCH140 S	CH160	xxs
1/8	6	10.3	-	1.24	1.24	-	1.45	1.73	1.73	-	2.41	2.41	-	-	-	3.15	4.83
1/4	8	13.7	-	1.65	1.65	-	1.85	2.24	2.24	-	3.02	3.02	-			3.68	6.05
3/8	10	17.1	-	1.65	1.65	-	1.85	2.31	2.31	-	3.2	3.2	-	-		4.01	6.40
1/2	15	21.3	1.65	2.11	2.11	-	2.41	2.77	2.77	-	3.73	3.73	-	-		4.78	7.47
3/4	20	26.7	1.65	2.11	2.11	-	2.41	2.87	2.87	-	3.91	3.91	-	-	-	5.56	7.82
1	25	33.4	1.65	2.77	2.77	-	2.90	3.38	3.38	-	4.55	4.55	-	-	•	6.35	9.09
5/4	32	42.2	1.65	2.77	2.77	-	2.97	3.56	3.56	-	4.85	4.85	-	-	-	6.35	9.7
3/2	40	48.3	1.65	2.77	2.77	-	3.18	3.68	3.68	-	5.08	5.08	-	-	-	7.14	10.15
2	50	60.3	1.65	2.77	2.77	-	3.18	3.91	3.91	-	5.54	5.54	-	-	-	8.74	11.07
5/2	65	73	2.11	3.05	3.05	-	4.78	5.16	5.16	-	7.01	7.01	-	-	•	9.53	14.02
3	80	88.9	2.11	3.05	3.05	-	4.78	5.49	5.49	-	7.62	7.62	-	-	•	11.13	15.24
7/2	90	101.6	2.11	3.05	3.05	-	4.78	5.74	5.74	-	8.08	8.08	-	-	•	-	-
4	100	114.3	2.11	3.05	3.05	-	4.78	6.02	6.02	-	8.56	8.56	-	11.13	•	13.49	17.12
5	125	141.3	2.77	3.40	3.40	-	-	6.55	6.55	-	9.53	9.53	-	12.7	•	15.88	19.05
6	150	168.3	2.77	3.40	3.40	-	-	7.11	7.11	-	10.97	10.97	-	14.27	-	18.26	21.95
8	200	219.1	2.77	3.76	3.76	6.35	7.04	8.18	8.18	10.31	12.7	12.7	15.09	18.26	20.62	23.01	22.23
10	250	273.1	3.4	4.19	4.19	6.35	7.8	9.27	9.27	12.7	12.7	15.09	18.26	21.44	25.4	28.58	25.4
12	300	323.9	3.96	4.57	4.57	6.35	8.38	9.53	10.31	14.27	12.7	17.48	21.44	25.4	28.58	33.32	25.4

NPS	DN	OD	SCH5/ 5S	SCH10S	SCH10	SCH20	SCH30	SCH40S/ STD	SCH40	SCH60	SCH80S/ XS	SCH80	SCH100	SCH120	SCH140 S	CH160	xx
14	350	355.6	3.96	4.78	6.35	7.92	9.53	9.53	11.13	15.09	12.7	19.05	23.83	27.79	31.75	35.71	-
16	400	406.4	4.19	4.78	6.35	7.92	9.53	9.53	12.7	16.66	12.7	21.44	26.19	30.96	36.53	40.49	-
18	450	457.2	4.19	4.78	6.35	7.92	11.13	9.53	14.27	19.05	12.7	23.83	29.36	34.93	39.67	45.24	-
20	500	508	4.78	5.54	6.35	9.53	12.7	9.53	15.09	20.62	12.7	26.19	32.54	38.1	44.45	50.01	-
22	550	559	4.78	5.54	6.35	9.53	12.7	9.53	-	22.23	12.7	28.58	34.93	41.28	47.63	53.98	-
24	600	610	5.54	6.35	6.35	9.53	14.27	9.53	17.48	24.61	12.7	30.96	38.89	46.02	52.37	59.54	-
26	650	660	•	-	7.92	12.7	-	9.53	-	-	12.7	-	-	-	-	-	-
28	700	711	•	-	7.92	12.7	15.88	9.53	-	-	12.7	-	-	-	-	-	-
30	750	762	6.35	7.92	7.92	12.7	15.88	9.53	-		12.7	-		•	-	-	-
32	800	813	-	-	7.92	12.7	15.88	9.53	17.48	-	12.7	-	-		-	-	-
34	850	864	-		7.92	12.7	15.88	9.53	17.48	-	12.7	-	-			-	-
36	900	914			7.92	12.7	15.88	9.53	19.05		12.7	-	-	•	-	-	-
38	950	965	-	-	-	•	-	9.53	-	-	12.7	-	-	•	-	-	-
40	1000	1016	•		-	-	-	9.53	-	-	12.7	-	-	-	-	-	-
42	1050	1067			-	•	-	9.53	-	-	12.7	-	-		-	-	-
44	1100	1118		•	-		-	9.53	-	-	12.7	-	-	•	-	-	-
46	1150	1168		-	-	-	-	9.53	-	-	12.7	-	-	-	-	-	-
48	1200	1219			-		-	9.53	-	-	12.7	-	-		-	-	-
52	1300	1321			-		-		-	-	-	-	-	•	-	-	-
56	1400	1422		-	-		-	•	-		•	-	-	•	-	-	-
60	1500	1524			-		-		-	-			-		-		-

Technical Sheet

FAQ

make length at 12m or 24m as per your requirement. We can cut the length into required length, but this can incur extra cost. In case of order, please also specify the required cutting method. We provide

laser cutting, plasma cutting and wateriet cutting for your options.

Q What is the standard length? Can we cut the tubes into small lengths? For most overseas orders, the standard length is 1m or 6m. We can also

NPS	DN	OD	SCH5/ 5S	SCH10S	SCH10	SCH20	SCH30 SCH40S/	SCH40	SCH60	SCH80S/XS	SCH80	SCH100	SCH120 S	5CH140 S	CH160	xxs
64	1600	1626	-	•	•	-	· ·	-	-	-	•	-	-	•	-	•
68	1700	1727	-	•	-	-		-	-	-	•	-	-	•	-	•
72	1800	1829	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76	1900	1930	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	2000	2032	-	-	-	-	-	-	-	-	-	-	-	-	-	-
						*0	ustomized size plea	ase confirm	n with us							

Delivery State

Delivery State Choice	Surface Condition						
	Pickled						
Cold Rolled / Cold Drawn * Solution Treated	Polished						
Jonaton reacca	Sand Blasted						
Cold Rolled / Cold Drawn	Pickled						
* Solution Treated	Polished						
Aging Treated	Sand Blasted						

Note: 1. If you require different deliver state than the above listed, kindly confirm with us. 2. In case of any enquiry or order, please kindly let us know any extra requirement not indicated here.

Package



At Rahuf Ferrometal.our nickel alloy seamless pipe packed tightly as per international standard to prevent any possible damage. By default we will use thick woven plastic bags to bundle several pieces together (always one bundle s1500KG). However, for those tube pipes that are susceptible to dirt pollution, scraping, stress or man-handling damages, we suggest wooden case can incur extra cost by its own, and at times can incurse the freight, which is especially remarkable for air transportation. For enhanced user experience we will pack as per your diverged requirements.

Logistics

i	+
Bv Sea	By Air

Sea transportation is the most popular for most orders, hence regarded as the default transportation mode. Accordingly, quotation is thus made as per FOB, CFR, CIF etc... For urgent demand, we can also offer as per air transportation.







A

By default, we will use thick woven plastic bags for package. We can also do customized package like wooden case as per your demand. You can also refer to our photos for better understanding.

ike 🖊 🗛

40 and

Technical Sheet





Nickel Alloy Welded Pipe & Tube



Overview As a leading nickel alloy pipes & tubes supplier. Rahul Ferrometaloroduces

alloy welded pipe & tube is a kind of nickel alloy pipe or tube formed by bending and welding the nickel alloy of raw materials is very important and decisive. We choose the good type of raw materials from big factory and use welding technology to manufacture every nickel alloy welded pipe & tube. If the welded pipe or tube to meet the higher demand, we can also anneas the pipe or tube with our online solid solution exclusion.

RahulFerrometalsupplies different nickel alloy grades:

Monel(400, 401, K-500, etc), Inconel(600, 601, 625, 718, etc), Incoloy(800, 825, A-286, etc) and Hastelloy(B-2, C-22, C-276, etc). The outer diameter of our nickel alloy welded pipe & tube ranges from 6mm to 200mm. Customized size is also available. Our products have higher quality and lower price. Our sales are more professional and responsible. Please don't hesitate to contact us!

• Outer Diameter: Φ6 -

As a reading inclusion pipes at tables supplier, Rahul Ferrometalproduces and manufactures a wide range of a Commenciation inclusion and nickel alloy welded pipe & tube. Nickel

Standards

ASTM 8464, ASTM 8464M, ASTM 8468, ASTM 8514, ASTM 8515, ASTM 8516, ASTM 8517, ASTM 8619, ASTM 8619M, ASTM 8626, ASTM 8673, ASTM 8674, ASTM 8675, ASTM 8676, ASTM 8704, ASTM 8705, ASTM 8710, ASTM 8725, ASTM 8751, ASTM 8775

Features


Excellent high temperature resistance, corrosion resistance. Standard roundness and smooth surface. The weld seam of the nickel alloy welded pipe & tube has been finely polished.

Applications

Petrochemical, oil and gas exploitation, flue gas desulfurization, seawater desalination, water treatment, nonferrous metal smelting, chemical industry, papermaking, heating cables, etc.

Basic Information

Manufacturing Process



Size Range

Nominal Pipe Size	I	Outside Diameter							Nomina	l Wall Thi	ickness						
NPS	DN	OD	SCH5/ 5S	SCH10S	SCH10	SCH20	SCH30	SCH40S/ STD	SCH40	SCH60 S	SCH80S/XS	SCH80	SCH100	SCH120 5	SCH140 S	CH160	xxs
1/8	6	10.3	-	1.24	1.24	-	1.45	1.73	1.73	-	2.41	2.41			-	3.15	4.83
1/4	8	13.7	-	1.65	1.65	-	1.85	2.24	2.24	-	3.02	3.02				3.68	6.05
3/8	10	17.1	-	1.65	1.65	-	1.85	2.31	2.31	-	3.2	3.2	-	-	-	4.01	6.40
1/2	15	21.3	1.65	2.11	2.11	-	2.41	2.77	2.77	-	3.73	3.73	-	-	-	4.78	7.47
3/4	20	26.7	1.65	2.11	2.11	-	2.41	2.87	2.87	-	3.91	3.91		-	-	5.56	7.82
1	25	33.4	1.65	2.77	2.77	-	2.90	3.38	3.38	-	4.55	4.55		-		6.35	9.09
5/4	32	42.2	1.65	2.77	2.77	-	2.97	3.56	3.56	-	4.85	4.85		-	-	6.35	9.7
3/2	40	48.3	1.65	2.77	2.77	-	3.18	3.68	3.68	-	5.08	5.08		-	-	7.14	10.15
2	50	60.3	1.65	2.77	2.77	-	3.18	3.91	3.91	-	5.54	5.54	-	-	-	8.74	11.07
5/2	65	73	2.11	3.05	3.05	-	4.78	5.16	5.16	-	7.01	7.01	•	-	-	9.53	14.02
3	80	88.9	2.11	3.05	3.05	-	4.78	5.49	5.49	-	7.62	7.62		-	-	11.13	15.24
7/2	90	101.6	2.11	3.05	3.05	-	4.78	5.74	5.74	-	8.08	8.08	-	-	-	-	-
4	100	114.3	2.11	3.05	3.05	-	4.78	6.02	6.02	-	8.56	8.56	-	11.13	-	13.49	17.12
5	125	141.3	2.77	3.40	3.40	-		6.55	6.55	-	9.53	9.53		12.7	-	15.88	19.05
6	150	168.3	2.77	3.40	3.40	-	-	7.11	7.11	-	10.97	10.97	-	14.27	-	18.26	21.95
8	200	219.1	2.77	3.76	3.76	6.35	7.04	8.18	8.18	10.31	12.7	12.7	15.09	18.26	20.62	23.01	22.23
10	250	273.1	3.4	4.19	4.19	6.35	7.8	9.27	9.27	12.7	12.7	15.09	18.26	21.44	25.4	28.58	25.4
12	300	323.9	3.96	4.57	4.57	6.35	8.38	9.53	10.31	14.27	12.7	17.48	21.44	25.4	28.58	33.32	25.4

NPS	DN	OD	SCH5/ 5S	SCH10S	SCH10	SCH20	SCH30	SCH40S/ STD	SCH40	SCH60	SCH80S/ XS	SCH80	SCH100	SCH120	SCH140 S	CH160	xxs
14	350	355.6	3.96	4.78	6.35	7.92	9.53	9.53	11.13	15.09	12.7	19.05	23.83	27.79	31.75	35.71	-
16	400	406.4	4.19	4.78	6.35	7.92	9.53	9.53	12.7	16.66	12.7	21.44	26.19	30.96	36.53	40.49	-
18	450	457.2	4.19	4.78	6.35	7.92	11.13	9.53	14.27	19.05	12.7	23.83	29.36	34.93	39.67	45.24	-
20	500	508	4.78	5.54	6.35	9.53	12.7	9.53	15.09	20.62	12.7	26.19	32.54	38.1	44.45	50.01	-
22	550	559	4.78	5.54	6.35	9.53	12.7	9.53	-	22.23	12.7	28.58	34.93	41.28	47.63	53.98	-
24	600	610	5.54	6.35	6.35	9.53	14.27	9.53	17.48	24.61	12.7	30.96	38.89	46.02	52.37	59.54	-
26	650	660	•	-	7.92	12.7	-	9.53	-	-	12.7	-	-	-	-	-	-
28	700	711	•	-	7.92	12.7	15.88	9.53	-	-	12.7	-	-	-	-	-	-
30	750	762	6.35	7.92	7.92	12.7	15.88	9.53	-	-	12.7	-	-	-	-	-	-
32	800	813			7.92	12.7	15.88	9.53	17.48	-	12.7	-		-		-	-
34	850	864			7.92	12.7	15.88	9.53	17.48	-	12.7	-	-	-		-	-
36	900	914		-	7.92	12.7	15.88	9.53	19.05	-	12.7	-		-		-	-
38	950	965		-	-	•	-	9.53	-	-	12.7	-		-	-	-	-
40	1000	1016	•	-	-	-	-	9.53	-	-	12.7	-	-	-	-	-	-
42	1050	1067	•	-	-	•	-	9.53	-	-	12.7	-	-	-	-	-	-
44	1100	1118	•	-	-	-	-	9.53	-	-	12.7	-	-	-	-	-	-
46	1150	1168		-	-	-	-	9.53	-	-	12.7	-	-	-	-	-	-
48	1200	1219			-	-	-	9.53	-	-	12.7	-	-	-	-	-	-
52	1300	1321	•		-	-	-		-	-	-	-	-	-	-	-	-
56	1400	1422			-	-	-	•	-	-	-	-		-		-	-
60	1500	1524			-	-	-		-	-		-		-	-		-

NPS	DN	OD	SCH5/ 5S	SCH10S	SCH10	SCH20	sснзо scн₄оѕ∕	SCH40	SCH60	SCH80S/XS	SCH80	SCH100	SCH120 S	5CH140 S	CH160	xxs
64	1600	1626	-	•	-	-	· .	-	-	-	-	-	-	-	-	•
68	1700	1727	-	•	-	-	· ·	-	-	-	-	-	-	-	-	•
72	1800	1829	-	-	-	-	•	-	-	-	-	-	-	-	-	-
76	1900	1930	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80	2000	2032	-	-	-	-	-	-	-	-	-	-	-	-	-	-
						*0	ustomized size plea	ase confirm	n with us							

Delivery State

Delivery State Choice	Surface Condition		
	Pickled		
Welded / Cold Rolled + Solution Treated	Polished		
Juillon Heared	Sand Blasted		
Welded / Cold Rolled	Pickled		
Solution Treated	Polished		
Aging Treated	Sand Blasted		

Note: 1. If you require different deliver state than the above listed, kindly confirm with us. 2. In case of any enquiry or order, please kindly let us know any extra requirement not indicated here.

Package



Wooden Case

At Rahul Ferrometal.our nickel allov seamless pipe packed tightly as per international standard to prevent any possible damage. By default we will use thick woven plastic bags to bundle several pieces together (always one bundle ≤1500KGs). However, for those tube pipes that are susceptible to dirt pollution, scraping, stress or man- handling damages, we suggest wooden case for protection. Please be kindly noted that wooden case can incur extra cost by its own, and at times can increase the freight, which is especially remarkable for air



transportation. for enhanced user experience, we

will pack as per your diverged requirements

Sea transportation is the most popular for most orders. hence regarded as the default transportation mode. Accordingly, quotation is thus made as per FOB, CFR, CIF etc., For urgent demand, we can also offer as per air transportation.

FAO

What about the finish of the nickel alloy welded pipe & tube?

For industrial applications, our nickel alloy welded pipes & tubes are No.1 finish or pickled finish. We can also produce polished nickel alloy welded nines or tubes according to your requirements, such as 320#, 400#, 600#. or mirror polished. If you need to inquire or order, please also tell us the degree of polishing, including internal polishing, external polishing or internal and external polishing.

What is the standard length? Can we cut the tubes into small lengths?

For most overseas orders, the standard length is 5.8 m or 6m. We can also

make length at 12 m or 13m as per your requirement. We can cut the length into required length, but this can incur extra cost. In case of order, please also specify the required cutting method. We provide laser cutting, plasma cutting and waterjet cutting for your options.

Do you have nickel alloy pipe fittings for match?

Yes, we have nickel alloy elbows, flanges, reducers etc. For more details, please refer to our products.

What will you use for package?

0

By default, we will use thick woven plastic bags for package. We can also

do customized package like wooden case as per your demand. You can also refer to our photos for better understanding.

Where's your main market?

South / North America, East Asia, Middle-East, Europe and so on.

How long is your delivery time?

Generally, it takes ten weeks to order nickel alloy welded pipes for less than two cabinets. But the delivery time may also be affected by other factors such as special materials, special sizes, large quantities of the product itself or force maleure





Nickel Alloy Capillary Tube

Features

Excellent flexibility, corrosion resistance, heat resistance, durability, good tensile properties, water resistance and good electromagnetic shielding performance. f precise size, strict tolerance range, flexible polishing process.



Overview

As a Chinese leading nickel alloy supplier. Rahul Ferrometalproduces and manufactures precise nickel alloy capillary tube. Nickel alloy capillary tube is a kind of alloy tube with smaller size and higher process difficulty. It is made of nickel alloy coil tube straightened and polished. Nickel alloy capillary tubes are suitable for use in some products that require high corrosion resistance and have a more precise internal structure. In terms of manufacturing process, we can provide seamless nickel alloy capillary tube and welded nickel alloy capillary tube. In the polishing process, we can provide MP. EP. BA. AP and other technologies to meet your different needs. The nickel alloy capillary tubes we produce have beautiful appearance, strict dimensional tolerances and suitable conditions

Rahul Ferrometalsupplies different nickel alloy grades: Mone(400, 401, K-500, etc), Incone(600, 601, 625, 718, etc), Incoley(800, 825, A-286, etc) and Hastelloy(842, C-22, C-276, etc). The outer diameter of our nickel alloy capillary tube ranges from 0.4mm to 16mm. Customized size is also available

Our products have higher quality and lower price. Our sales are more professional and responsible. Please don't hesitate to contact us!

Specifications

Outer Diameter: Φ0.4 - Φ16mm
Wall Thickness: 0.1 - 3.0mm
Length ≤ 12000mm
Customized size please confirm with us


Standards

ASTM B161, ASTM B163, ASTM B165, ASTM B167, ASTM B407, ASTM B423, ASTM B444, ASTM B468, ASTM B515, ASTM B516, ASTM B535, ASTM B522, ASTM B526, ASTM B574, ASTM B576, ASTM B677, ASTM B590, ASTM B570, ASTM B573, ASTM B591, ASTM B529, ASTM B783

Applications

 Palles, frames and fictures used in heat treatment plants.
 Steel wire split annealing and shoot tube, high-speed gas burner, wire mesh beit in industrial furnace 3. Isolation tank in nitrogen reforming and cathylic support grid in nitric acid manufacturing 4. Exhaust system components 5. Combustion chamber of solid waste indinerator 6. Pipe support and soot handling parts 7. Exhaust gas detoxification system components 8. Oween reheater 8.

Manufacturing Process



Size	Size	Size	Size	Size
0.4*0.11	1.3*0.15	2.1*0.7	3.5*0.25	5.0*1.0
0.5*0.15	1.3*0.3	2.2*0.2	3.5*0.5	5.0*1.5
0.6*0.15	1.4*0.15	2.2*0.3	3.5*1.0	5.5*0.2
0.63*0.15	1.4*0.2	2.2*0.6	3.5*1.2	6.0*1.5
0.7*0.15	1.4*0.25	2.2*0.8	3.7*0.2	6.0*0.8
0.8*0.125	1.45*0.1	2.3*0.2	3.7*0.25	6.0*2.0
0.8*0.15	1.5*0.125	2.3*0.25	3.8*0.2	6.35*0.3
0.9*0.15	1.6*0.15	2.5*0.18	3.8*0.25	6.35*0.3
1.0*0.1	1.6*0.2	2.5*0.2	4.0*0.2	6.35*0.5
1.0*0.125	1.6*0.25	2.5*0.25	4.0*0.25	6.35*0.7
1.0*0.135	1.6*0.3	2.5*0.3	4.0*0.35	6.35*0.8
1.0*0.15	1.6*0.4	2.5*0.4	4.0*0.4	6.35*1.2
1.0*0.16	1.7*0.15	2.5*0.5	4.0*0.5	6.35*1.6
1.1*0.115	1.7*0.25	2.5*0.55	4.0*0.7	6.35*1.8
1.1*0.12	1.8*0.11	2.5*0.75	4.0*1.0	6.35*0.8
1.1*0.125	1.8*0.125	2.5*0.8	4.2*0.25	6.35*1.24
1.1*0.135	1.8*0.15	2.55*0.13	4.4*0.25	6.35*1.65
1.1*0.14	1.8*0.2	2.55*0.8	4.4*0.4	6.5*0.3
1.1*0.15	2.0*0.125	2.6*0.2	4.5*0.2	6.5*0.4

Sizo Dango

1.1*0.2	2.0*0.15	2.8*0.2	4.5*0.25	6.5*0.5
1.2*0.1	2.0*0.2	3.0*0.15	4.5*0.3	6.5*0.6
1.2*0.125	2.0*0.25	3.0*0.2	4.5*0.5	7.0*0.2
1.2*0.135	2.0*0.3	3.0*0.25	4.5*1.0	7.0*0.3
1.2*0.15	2.0*0.4	3.0*0.3	4.7*1.0	7.0*0.5
1.2*0.2	2.0*0.5	3.0*0.5	5.0*0.2	7.0*1.0
1.3*0.1	2.0*0.7	3.2*0.2	5.0*0.25	8.0*0.2
1.3*0.11	2.1*0.5	3.2*0.5	5.0*0.3	8.0*0.5
1.3*0.12	2.1*0.55	3.4*0.2	5.0*0.35	9.52*0.89
1.3*0.125	2.1*0.65	3.5*0.2	5.0*0.5	

Delivery State

Delivery State Choice	Surface Condition
AP: Annealed and Pickled	Pickled
MP: Mechanically Polished	Polished
BA: Bright Annealed	Bright
EP: Electro-Polished	Polished

Note: 1. If you require different deliver state than the above listed, kindly confirm with us. 2. In case of any enquiry or order, please kindly let us know any extra requirement not indicated here.

34



33

FAO

How many delivery states are there for nickel alloy capillary tubes?

We have four delivery states for you to choose from: Annealing & Pickling (AP), Mechanical Polishing (MP), Bright Annealing (BA) and Electrolytic Polishing (EP).





For our EP nickel alloy capillary tubes, both ends of the finished tube are protected by PA membranes and rubber tube caps. We will further protect these tubes with anti-static bags. Finally, we put it into a wooden box for packaging.

Where is your main market?

South / North America, East Asia, Middle-East, Europe and so on.





Α

Δ

Yes, samples of small and medium batches (common sizes and materials) can be provided free of charge in the preliminary inventory, however, the shipping costs shall be borne by you.



What are the common capillary tubes?

The BA and EP capillary tubes are the most popular tubes at home and

abroad. Common materials are: Monel 400, Monel K-500, Inconel 600, Inconel 625, Inconel 718, Incolov 800, Incolov 825, Hastellov B-2, Hastellov C-276, etc.

What is your standard length? Can I cut the tube to the length I want?

Our standard length is 1 meter, 3 meters, 5 meters, and 6 meters. We can also cut the tube to the required length by laser cutting.

Package



Plastic Bag Carton Box Wooden Case

At Rahul Ferrometal, our nickel alloy capillary tubes are tightly as per international standard to prevent any possible damage. By default we will use thick woven plastic bags to bundle several pieces together (always one bundle ≤1500KGs). We can also use carton box to pack the short tubes. However, for those tubes that are susceptible to dirt pollution, scraping, stress or man-handling damages, we suggest wooden case for protection. Please be kindly noted that wooden case can incur extra cost by its own, and at times can increase the freight, which is especially remarkable for air transportation. For enhanced user experience, we will pack as per your diverged requirements.

Logistics



Sea transportation is the most popular for most orders, hence regarded as the default transportation mode. Accordingly, quotation is thus made as per FOB, CFR, CIF etc., For urgent demand, we can also offer as per air transportation.



Rahul Ferrometal





Standards

ASTM B161, ASTM B13, ASTM B165,ASTM B167, ASTM B0407, ASTM B423,ASTM B444, ASTM B468, ASTM B5163,ASTM B622, ASTM B516,ASTM B51635, ASTM B626, ASTM B674, ASTM B676,ASTM B677, ASTM B690, ASTM B704, ASTM B729, ASTM 8751, ASTM B829, ASTM B829,

Overview

As a leading nickel alloy tube supplier, Rahul Ferrometalmanufactures and produces high guality and customized nickel alloy coil tube. Nickel alloy coil tube is a continuous small diameter nickel alloy tube manufactured by welding, continuously cold drawing and coiling the nickel alloy strip. Due to its continuity, we will use bright annealing process to avoid the generation of oxide skin inside the tube. Nickel alloy coil tubes have excellent high temperature resistance and corrosion resistance, as well as good integration. We also provide nickel alloy seamless coil tube and nickel alloy welded coil tube for your choice. It should be noted that due to the difference in technology, the length of the nickel alloy seamless coil tube of the same size will be less than that of the nickel alloy welded coil tube. Please confirm this with us.

Specifications

Dimension: Outer Diameter: 00.4-016mm Wall Thickness: 0.1-3.0mm U enght: 1.50m, 1500m, 1800m, or customized. - Classification of Nickel Alloy Coil Tube: 1. Finge heating tubes 2. O type 3. I type 4. W type 5. U type 5. U type discussion of the State State State State 5. U type discussion of the State Stat

Applications

Electricity, petroleum, construction boilers, natural, petrochemical.

Features

Nickel alloy coil has many excellent characteristics as follows: 1) Resistance to high temperature steam, impact corrosion and ammonia corrosion; 2) Anti-scaling, hardness and discoloration, anti-oxidation and corrosion; 3) Long service life, reducing maintenance time and saving cost; 4) Excellent tabulation performance, easy to replace test tubes, safe and reliable; 5) Ideal heat exchange products, which can be used to upgrade old equipment and manufacture new equipment.

Manufacturing Process



Drawing & Formula



Formula: $m = (OD - THK) \times THK (mm) \times L (m) \times \rho (g/cm³) \times \pi + 1000$ OD = Outer Diameter, THK = Wall Thickness, L = Length ρ = Density, π = 3.1415926...

		Size Range		
Size	Size	Size	Size	Size
0.4*0.11	1.3*0.15	2.1*0.7	3.5*0.25	5.0*1.0
0.5*0.15	1.3*0.3	2.2*0.2	3.5*0.5	5.0*1.5
0.6*0.15	1.4*0.15	2.2*0.3	3.5*1.0	5.5*0.2
0.63*0.15	1.4*0.2	2.2*0.6	3.5*1.2	6.0*1.5
0.7*0.15	1.4*0.25	2.2*0.8	3.7*0.2	6.0*0.8
0.8*0.125	1.45*0.1	2.3*0.2	3.7*0.25	6.0*2.0
0.8*0.15	1.5*0.125	2.3*0.25	3.8*0.2	6.35*0.3
0.9*0.15	1.6*0.15	2.5*0.18	3.8*0.25	6.35*0.35
1.0*0.1	1.6*0.2	2.5*0.2	4.0*0.2	6.35*0.5
1.0*0.125	1.6*0.25	2.5*0.25	4.0*0.25	6.35*0.7
1.0*0.135	1.6*0.3	2.5*0.3	4.0*0.35	6.35*0.8
1.0*0.15	1.6*0.4	2.5*0.4	4.0*0.4	6.35*1.25
1.0*0.16	1.7*0.15	2.5*0.5	4.0*0.5	6.35*1.65
1.1*0.115	1.7*0.25	2.5*0.55	4.0*0.7	6.35*1.8
1.1*0.12	1.8*0.11	2.5*0.75	4.0*1.0	6.35*0.89
1.1*0.125	1.8*0.125	2.5*0.8	4.2*0.25	6.35*1.24
1.1*0.135	1.8*0.15	2.55*0.13	4.4*0.25	6.35*1.65

1.1*0.14	1.8*0.2	2.55*0.8	4.4*0.4	6.5*0.3
1.1*0.15	2.0*0.125	2.6*0.2	4.5*0.2	6.5*0.4
1.1*0.2	2.0*0.15	2.8*0.2	4.5*0.25	6.5*0.5
1.2*0.1	2.0*0.2	3.0*0.15	4.5*0.3	6.5*0.6
1.2*0.125	2.0*0.25	3.0*0.2	4.5*0.5	7.0*0.2
1.2*0.135	2.0*0.3	3.0*0.25	4.5*1.0	7.0*0.3
1.2*0.15	2.0*0.4	3.0*0.3	4.7*1.0	7.0*0.5
1.2*0.2	2.0*0.5	3.0*0.5	5.0*0.2	7.0*1.0
1.3*0.1	2.0*0.7	3.2*0.2	5.0*0.25	8.0*0.2
1.3*0.11	2.1*0.5	3.2*0.5	5.0*0.3	8.0*0.5
1.3*0.12	2.1*0.55	3.4*0.2	5.0*0.35	9.52*0.89
1.3*0.125	2.1*0.65	3.5*0.2	5.0*0.5	

Delivery State

Delivery State Choice	Surface Condition
BA: Bright Annealed	Bright

Note: 1. If you require different deliver state than the above listed, kindly confirm with us. 2. In case of any enquiry or order, please kindly let us know any extra requirement not indicated here.

FAQ





Δ







0

South / North America, East Asia, Middle-East, Europe and so on.







Plastic Bag Wooden Case

At Rahul Ferrometal, all of our nickel alloy coil tubes are accordance with international standards to prevent any possible damage or loss. According to your specific needs, our packaging can be Thick Woven Plastic Bag. Wooden Pallet. Wood Reel and Wooden Case. We can also provide special packaging according to your special requirements. Please be kindly noted that wooden case can incur extra cost by its own, and at times can increase the freight, which is especially remarkable for air transportation. For enhanced user experience, we will pack as per your diverged requirements.

Logistics



Sea transportation is the most popular for most orders, hence regarded as the default transportation mode. Accordingly, quotation is thus made as per FOB. CFR. CIF etc., For urgent demand, we can also offer as per air transportation.



Rahul Ferrometal





Nickel Alloy Thick-walled Pipe

Overvirew

As a Chinese leading nickel alloy pipe supplier, Rahul Ferrometal manufactures and produces a wide range of nickel alloy

thick-valled pipe. Nickel alloy thick-valled pipe. I as zeamles, thick-valled nickel alloy pipe. Compared with nickel alloy sentieses pipe, it not onji hinetis high temperature resistance and corrosion resistance, but alo has better high pressure resistance. Therefore, nickel alloy thick-valled tubes are often used in high-pressure equipment. In the manufacturing process, due to the thicker wall thickness, cold rolling and cold drawing processes are no longer applicable, so then nickel alloy thickwalled tipe is perforated and hot-rolled from nickel alloy round bar.

 Rahul
 Ferrometalsupplies

 different nickel alloy grades:
 Monel(400, 401, K-500, etc),

 Inconel(600, 601, 625, 718, etc),
 Incoley(800, 825, A-286, etc) and

 Hastelloy(8-2, C-22, C-276, etc).
 The outer diameter of our nickel

 alloy coil tube ranges from 10m to 600mm. Customized size is also available.
 Size and Siz

Our products have higher quality and lower price. Our sales are more professional and responsible. Please don't hesitate to contact us!

Specfications

 Outer: Ф10 - Ф600mm
 Wall Thickness: SCH80S, SCH120, SCH160, XXS
 Length < 12000mm
 *Customized size please confirm with us

Standards

ASTM B161, ASTM B165, ASTM B167, ASTM B407, ASTM B423, ASTM B444, ASTM B535, ASTM B622, ASTM B677, ASTM B690, ASTM B729, ASTM B829, ASTM B983

Features

Excellent corrosion resistance and high temperature resistance, outstanding high pressure resistance and sealing performance.

Applications

Nozzles, reducers, couplings, petroleum, chemical, shipbuilding, pharmaceuticals, electronic components. etc.

Manufacturing Process



Drawing & Formula

++

тнк



Formula: m = (OD - THK) × THK (mm) × L (m) × ρ (g/cm³) × π + 1000 OD = Outer Diameter, THK = Wall Thickness, L = Length ρ = Density, π = 3.1415926...



Outer Diameter	Wall Thickness						
4/0							12
1/8	1	1	5	15/8	6	7/2	
1/8	1.5	1	6	15/8	8	4	3
1/8	2	9/8	2	2	2	4	3.5
1/4	1	9/8	2.5	2	2.5	4	4
1/4	1.5	9/8	3	2	3	4	5
1/4	2	9/8	3.5	2	3.5	4	6
3/8	1	9/8	4	2	4	4	8
3/8	1.5	9/8	5	2	5	4	10
3/8	2	9/8	6	2	6	4	12
3/8	2.5	5/4	2	2	8	5	4
3/8	3	5/4	2.5	2	10	5	5
7/16	2	5/4	3	2	12	5	6
7/16	2.5	5/4	3.5	9/4	2	5	8
7/16	3	5/4	4	9/4	2.5	5	10
7/16	3.5	5/4	5	9/4	3	5	12
7/16	4	5/4	6	9/4	3.5	6	4
1/2	2	11/8	2	9/4	4	6	5
1/2	2.5	11/8	2.5	9/4	5	6	6
1/2	3	11/8	3	9/4	6	6	8

Size Range

Outer Diameter	Wall Thickness	Outer Diameter	Wall Thickness	Outer Diameter	Wall Thickness	Outer Diameter	Wall Thicknes
1/2	3.5	11/8	3.5	9/4	8	6	10
1/2	4	11/8	4	9/4	10	6	12
5/8	2	11/8	5	9/4	12	8	4
5/8	2.5	11/8	6	5/2	3	8	5
5/8	3	3/2	2	5/2	3.5	8	6
5/8	3.5	3/2	2.5	5/2	4	8	8
5/8	4	3/2	3	5/2	5	8	10
3/4	2	3/2	3.5	5/2	6	8	12
3/4	2.5	3/2	4	5/2	8	10	6
3/4	3	3/2	5	5/2	10	10	8
3/4	3.5	3/2	6	5/2	12	10	10
3/4	4	3/2	8	3	3	10	12
3/4	5	7/4	2	3	3.5	12	10
3/4	6	7/4	2.5	3	4	12	12
7/8	2	7/4	3	3	5	14	10
7/8	2.5	7/4	3.5	3	6	14	12
7/8	3	7/4	4	3	8	16	10
7/8	3.5	7/4	5	3	10	16	12
7/8	4	7/4	6	3	12	18	10
7/8	5	7/4	8	7/2	3	18	12
7/8	6	15/8	2	7/2	3.5	20	10

Outer Diameter	Wall Thickness	Outer Diameter	Wall Thickness	Outer Diameter	Wall Thickness	Outer Diameter	Wall Thickness
1	2	15/8	2.5	7/2	4	20	12
1	2.5	15/8	3	7/2	5	24	10
1	3	15/8	3.5	7/2	6	24	12
1	3.5	15/8	4	7/2	8		
1	4	15/8	5	7/2	10		
			*Customized size pl	ease confirm with us			
			Deliver	v State			

Delivery State Choice	Surface Condition
Hot Rolled + Solution Treated	Pickled
	Polished
	Sand Blasted
Hot Rolled + Solution Treated Aging Treated	Pickled
	Polished
	Sand Blasted

Note:

1. If you require different deliver state than the above listed, kindly confirm with us. 2. In case of any enquiry or order, please kindly let us know any extra requirement not indicated here.

Package



Wooden Case

At Rahul Ferrometal,our nickel alloy seamless pipe tightly as per international standard to prevent any possible damage. By default we will use thick woven plastic bags to bundle several pieces together (always one bundle ≤1500KGs). However, for those tube pipes that are susceptible to dirt pollution, scraping, stress or man- handling damages, we suggest wooden case for protection. Please be kindly noted that wooden case can incur extra cost by its own, and at times can increase the freight, which is especially remarkable for air transportation. For enhanced user experience, we will pack as per your diverged requirements.

Logistics



Sea transportation is the most popular for most orders. hence regarded as the default transportation mode. Accordingly, quotation is thus made as per FOB, CFR, CIF etc.. For urgent demand, we can also offer as per air transportation.



FAQ



We will use thick woven plastic bags to bundle the finished nickel alloy pipes together in batches.




INCONEL







INCONEL



INCONEL





INCOLOY



INCOLOY






INCOLOY




INCOLOY






HASTELLOY



HASTELLOY









Rahul Ferrometal



⊗ ⊛ ⊛ ⊘ ⊗

www.rahulferrometal.com

E-mail: Info@rahulferrometal.com www.rahulferrometal.com